



**EMAILCHIM<sup>®</sup>JSC**

**FLOOR COATINGS, ANTICORROSIVE MATERIALS  
FOR COVERING, INSULATION AND OTHER  
PROTECTIVE SYSTEMS**

© EMAILCHIM AD 2234 Petarch, Kostinbrod region, Bulgaria tel.: (+3597116) 2015, 2048,  
E-mail: [office@emailchim.com](mailto:office@emailchim.com) URL: [www.emailchim.com](http://www.emailchim.com)

# Floor coating

- Floor coating, thickness 8 mm, of the Electrolysis block, elevation of Cumerio Copper Pirdop, subject to electrolytic and mechanical load.



# Floor coating

- Floor coating, thickness 3-4 mm, of several blocks of Lead and Zinc Plant – Kardzhali, safe for sulphur acid
- (30; 50; 98%) and mechanic load.



# Floor coating

- Strengthened floor coating with basalt tiles, safe for sulphuric acid (30%) of Monbat Accumulator Plant.



# Floor coating

- Acid-proof coating of foundations and walls of Store for sulphuric acid (98%) of Sviloza Jsc – Svishtov.



# Floor coating

- Strengthened floor coating of Monbat Accumulator Plant – Republic of Serbia.



# Laminate insulations

- Laminate insulations for concrete facilities (tanks, canals, shafts of accumulators production wastewater treatment facility for Monbat Jsc. – Montana.



# Laminate insulations

- Laminate insulation for metal tanks for storing sodium bisulphate of Mondi Packaging Stamboliyski EAD.



# Laminate insulations

- Laminate insulation for concrete (column and binders) of Cumerio Copper Pirdop, subject to electrolytic and mechanical load.



# Insulations for metal construction



# Internal anticorrosive coating for metal tanks



# Self leveling floor coating. RAL color



# UV resistant coating. RAL color

